

## **Quarantine Recommendations**

## Who needs to Quarantine?

People who have been in <u>close contact</u> with someone who has COVID-19—excluding people who have had COVID-19 within the past 3 months or <u>who are fully vaccinated</u>.

- People who have tested positive for COVID-19 within the past 3 months and recovered do not have to quarantine or get tested again as long as they do not develop new symptoms.
- People who develop symptoms again within 3 months of their first bout of COVID-19 may need to be tested again if there is no other cause identified for their symptoms.
- People who have been in close contact with someone who has COVID-19 are not required to
  quarantine if they have been <u>fully vaccinated</u> against the disease and show no symptoms. Fully
  vaccinated people who have come into close contact with someone with suspected or
  confirmed COVID-19 are recommended to be tested 3-5 days after exposure, and to wear a
  mask in public indoor settings for 14 days or until they receive a negative test result.


## What counts as close contact?

- You were within 6 feet of someone who has COVID-19 for a total of 15 minutes or more over 24-hour period
- You provided care at home to someone who is sick with COVID-19
- You had direct physical contact with the person (hugged or kissed them)
- You shared eating or drinking utensils
- They sneezed, coughed, or somehow got respiratory droplets on you

The Centers for Disease Control & Prevention (CDC) and the Idaho Department of Health and Welfare (IDHW) have provided options to reduce the quarantine period for people **without** symptoms (asymptomatic) who are close contacts of those who have tested positive for COVID-19 and meet the criteria to quarantine. Fourteen days of quarantine is still considered the best practice and remains the safest way to avoid spreading this virus. The revised options shorten quarantine for some, and are acceptable alternatives to reduce the burden of quarantine on individuals, families, and businesses.

- Non-Test-Based Scenario: Person was exposed, has no symptoms, and was not tested
  - Isolation can end after Day 10 from the last day of close contact with an infectious positive case, provided no symptoms have been reported during daily monitoring.
- Test-Based Scenario: Person was exposed, has no symptoms and was tested
  - When diagnostic testing resources are sufficient and available, then isolation can end after Day
     7 if a diagnostic specimen tests negative <u>and</u> if no symptoms were reported during daily monitoring.
    - The specimen must be collected at least 5 days after exposure


This document was updated 09/10/2021 using information and guidance available to-date and is subject to change per emerging guidance.




 Quarantine can end only after the negative test result is available, but no earlier than the end of Day 7.

In both scenarios, additional measures such as continued symptom monitoring, hand hygiene, physical distancing and masking through Day 14, must be met and are outlined in the full text found on the CDC's website: <a href="https://www.cdc.gov/coronavirus/2019-ncov/more/scientific-brief-options-to-reduce-quarantine.html">https://www.cdc.gov/coronavirus/2019-ncov/more/scientific-brief-options-to-reduce-quarantine.html</a>

Please see below for a graphics that illustrate the current recommendations:






QUARANTINE WHEN YOU
DON'T HAVE SYMPTOMS

Output

Southwest
DISTRICT HEALTH





The new quarantine options do not apply to those living in congregate living settings, such as long-term care facilities, correctional institutions, group homes, or rehabilitation facilities. Healthcare workers should continue following CDC Interim Guidance.